

CHROMATOGRAPHIC SPECIALTIES INC.

www.chromspec.com

CHROMSPEC™ - Compressed Gas Purifiers Hydrocarbon Traps



CHROMSPEC™ hydrocarbon traps utilize a very high surface area activated carbon. These refillable traps are available in several configurations. The standard model contains 200cc of filtering medium. For highly critical applications such as carrier gas lines in gas chromatography and GC/MS we offer 100cc and 750cc units that feature one piece spun aluminum bodies and are helium purged prior to shipment. Each Swagelok™ end fitting includes a 40 micron stainless steel frit.

Specifications - Hydrocarbon Traps

<u> </u>	200cc unit	100cc unit	750cc unit
Hydrocarbon reduction	<20ppb	<20ppb	<15ppb
Hydrocarbon capacity	22gm	11gm	80gm
Maximum pressure	250psi	250psi	250psi

Hydrocarbon/Moisture Traps

These refillable, 200cc hydrocarbon / moisture traps contain a mixed bed of activated carbon and molecular sieve 13X for the simultaneous removal of hydrocarbons and moisture. Each Swagelok™ end fitting includes a 40 micron stainless steel frit. (see photo above)

Specifications - Hydrocarbon/Moisture Trap

Hydrocarbon/mosture reduction	<20ppb	
Hydrocarbon capacity	11gm	
Moisture capacity	14gm	
Maximum pressure	250psi	

.../2



Ordering Information

Description	End Fitting	Item Number
200cc Hydrocarbon Trap	1/8"	C36100
200cc Hydrocarbon Trap	1/4"	C36105
750cc Hydrocarbon Trap	1/8"	C36090
750cc Hydrocarbon Trap	1/4"	C36092
200cc Hydrocarbon/Moisture Trap	1/8"	C36120
200cc Hydrocarbon/Moisture Trap	1/4"	C36125
Hydrocarbon Trap Refill (1 pint)		C36110
Hydrocarbon Trap Refill (1/2 gallon)		C36111
Hydrocarbon/Moisture Trap Refill (1 pint)		C36123
Mounting Clip for 100cc Traps		C36078
Mounting Clip for 200cc Traps		C36079
Mounting Clip for 750cc Traps		C36194
For a secure installation, it is recommended that	t 2 Mounting Clips be u	sed

For a secure installation, it is recommended that 2 Mounting Clips be used for each trap.