


GLASS BLOCK MANIFOLD



INNOVATION THROUGH CHEMISTRY





1-800-267-8103 • www.chromspec.com • tech@chromspec.com

GLASS BLOCK MANIFOLD

A complete Vacuum Manifold System consists of a glass block, Corian[®] manifold lid, a cover gasket, vacuum gauge and assembly, PTFE tips, an adjustable collection rack, bulkhead luer fittings, plugs and a glass block safety tray. The Vacuum Manifold System is available in either 16 or 24 positions.

These manifold systems are durable and chemically resistant units designed to provide years of trouble free extractions.



Description	Part Number
Complete 16 Position Vacuum Manifold System	VMF016GL
Complete 24 Position Vacuum Manifold System	VMF024GL

GLASS BLOCK MANIFOLD ACCESSORIES



Glass Block



Manifold Lid (24 Position)



Gasket



Collection Rack (24 Position)



Collection Rack Posts



Vacuum Gauge and Bleed Valve



Luer Plugs



Transfer Tubes



(16 Position)



Manifold Lid Legs



Collection Rack (16 Position)



Collection Rack (12 Position)



Rack Retaining



Bulkhead Luer Fittings



Flange Caps



Large Volume



Description		Units	Part Number
Manifold Lid (16 position) – A rigid Corian [®] resists warping with extended use. Lids come bulkhead fittings and gasket.		1	VMF06120
Manifold Lid (24 position) – A rigid Corian [®] lid which resists warping with extended use. Lids come with caps, bulkhead fittings and gasket.		1	VMF04120
Manifold Lid Legs – The lid legs can be used to set the manifold lid on a surface while loading columns, changing collection tubes or removing waste.		4	VMF02120-1
Gasket – A foam gasket that fits both the 16 and 24 position lids.		2	VMF04121
Collection Rack (16 position) – A polyproprack that is highly resistant to chemical degradabuse. This rack allows the use of 13 and 16 nable test tubes.	dation and	1	VMF06125
Collection Rack (24 position) – A polyproprack that is highly resistant to chemical degradabuse. This rack allows the use of 13 and 16 rable test tubes.	dation and	1	VMF04125
Collection Rack (12 position) – A polyproprack that is highly resistant to chemical degrader abuse. This rack is designed for the use of 27 vials) and smaller disposable collection vials.	dation and	1	VMF02125
Collection Rack Posts – These posts can be as replacements parts for the posts in all colle		3	VMF02127
Collection Rack Retaining Clips – These c replacement parts for the clips included in all racks.		12	VMF02129
Vacuum Gauge and Bleed Valve – This system is used in monitoring and adjusting vacuum.		1	VMF02122
Bulkhead Luer Fittings – These fittings scree lid allowing the sample to transfer from the co the PTFE Luer tip to the test tube.		12	VMF21BFN
Luer Plugs – These plugs fit into the bulkhead fittings in order to seal unused bulkhead fittings. These can also be used to break vacuum to the manifold.		12	VMF21PLN
Large Volume Transfer Tubes – Used to transfer large volumes (100-1000mL) from a water collection bottle to an SPE cartridge.		6	VMFSTFR06
		12	VMFSTFR12
Large Volume Transfer Tubes For Perfluo		6	VMFSTFR06 - PFC
Compound Analysis – Used to transfer large volum (100-1000mL) from a water collection bottle to an SPE cartridge.	o an SPE	12	VMFSTFR12 - PFC
Flange Caps – Used with the Luer Caps, Flange Caps plug the top of SPE cartridges.	1 mL 3 mL 6 & 10 mL 15 mL 25 mL	50 50 50 50 50	CR0001P CR0004P CR0008P CR0015P CR0025P
20L Waste Trap		1	ECUCTTRAP20
20L Waste Trap Adaptor – 3/8" x 1/4" PVDF ADPT for fitting to glass block manifold.		1	ECUCTTRAP20-ADPT

Collection

20L Waste Trap

PRICES AND TERMS

Our prices are subject to change without notice. The price in effect when we receive your order will apply. All prices are in US Dollars and are F.O.B. Terms of payment are net 30 days.

MINIMUM ORDERS

We welcome all orders, therefore, we do not have a minimum order requirement. When ordering, please include your purchase order number, complete "Ship To" and "Bill To" address, catalog number, quantity, and description of product(s). Also include your name and a phone number where you can be reached should we have any questions concerning your order.

SHIPMENTS

Normal processing is within 24 hours after receipt of an order. Unless special shipping requests have been made, our trained staff will send all orders by UPS Ground service. The appropriate shipping charges (freight & insurance costs) will be added to the invoice, unless otherwise instructed by the customer.

SPECIAL PRICING

We offer special pricing for volume purchases and standing orders. These discounts apply to bonded phase extraction column purchases only. Please call a sales representative for more information on special pricing qualifications.





Contact Us

Phone: 215.781.9255 800.385.3153 Fax: 215.785.1226 UCT, Inc. 2731 Bartram Rd. Bristol, PA 19007 Email: info@unitedchem.com Web: www.unitedchem.com





RETURN POLICY

Our Quality Manager will handle all returns. Before returning merchandise, please call to obtain a return authorization number from the Quality Manager. We will need to know the reason for the return, date of purchase, purchase order number and invoice number in order to issue a return authorization number. Return merchandise must be received before a credit can be issued. Returns will not be accepted after 90 days. A restocking fee of 25% of the price paid, or a minimum of \$25.00 (whichever is greater) will be charged on all returns.

WARRANTY

All products manufactured by UCT are guaranteed against defects in materials and workmanship for a period of 90 days after shipment. UCT will replace any items that prove to be defective during this time period. The exclusive remedy requires the end user to first advise UCT of the defective product by phone or in writing and must include order number, the lot number and the shipping date.

To initiate this action, photographs of the product, including packaging and labeling of the containers, must be submitted to the UCT Representative for approval. With approval a return authorization can be initiated, and must be received within 30 days. Once the materials arrive at UCT a further inspection of the materials must be completed and accepted by our Quality Manager prior to further action of credits or replacement. UCT's total liability is limited to the replacement cost of UCT products.

This warranty does not apply to damage resulting from misuse.